PATIENT INSTRUCTION SHEET

SPLIT-DOSE regimen



Your colonoscopy is scheduled for

			$\overline{}$		
DATE	[/	/ .	TIME	:	PM AM

What is CLENDIG?

CLENPIQ is a prescription medicine that cleans your colon.

CLENPIQ is ready for you to drink right from the bottle. It does not need to be mixed or diluted.

Do not refrigerate or freeze CLENPIQ.

What's in the CLENPIQ box?



Two bottles of CLENPIQ (5.4 oz each)



An 8 oz cup for drinking clear liquids



The Patient Medication Guide and the Instructions for Use for your reference

- Clear liquids only the day prior
- No solid foods until after the colonoscopy

Clear Liquids

Here are some examples of clear liquids your healthcare provider may recommend:

Water

- White grape juice
- Broth, Beef or Chicken
- Ginger ale
- · Apple juice
- · Jello: Lemon or Lime
- White cranberry juice
- Frozen juice bars
- Coffee (no creamer)
- Pop

DO NOT drink any of the following:

- · NO red or purple liquids
- · NO liquids that you can't see through
- NO alcoholic beverages

Hydration is important and its part of the prep. Make sure to hydrate before you take the prep, while you're taking the prep, and after the prep.


The night before your colonoscopy procedure

DATE / /

Anytime between 5 and 9 p.m.

Evening Before

Between 5-9 pm



Drink 40 oz (5 cups) of clear liquids.* Finish liquids over the next 5 hours.


The morning of your procedure

DATE / / TIME

Drink 5 hours before procedure

Morning of

5 hours before procedure



Drink at least 24 oz (3 cups) of clear liquids. Finish liquids 2 hours before your colonoscopy or as advised by your doctor.

INDICATION

CLENPIQ is a prescription medicine used by adults to clean the colon before a colonoscopy. CLENPIQ cleans your colon by causing you to have diarrhea. Cleaning your colon helps your healthcare provider see the inside of your colon more clearly during your colonoscopy.

IMPORTANT SAFETY INFORMATION

- Do not take CLENPIQ if your healthcare provider has told you that you have serious kidney problems, a blockage in your intestine (bowel obstruction), an opening in the wall of your stomach or intestines (bowel perforation), a very dilated intestine (toxic megacolon), problems with the emptying of food and fluid from your stomach (gastric retention), or an allergy to any of the ingredients in CLENPIQ.
- CLENPIQ and other bowel preparations can cause serious side effects, including serious loss of body fluid (dehydration) and changes in blood salts (electrolytes) in your blood. These changes can cause abnormal heartbeats that may result in death, seizures (this can happen even if you have never had a seizure), or kidney problems. Your chance of having fluid loss and changes in blood salts with CLENPIQ is higher if you have heart problems, have kidney problems, or take water pills or non-steroidal anti-inflammatory drugs (NSAIDS).
- Your healthcare provider may do blood tests after you take CLENPIQ to check your blood for changes. Tell your healthcare provider right away if you have any of these symptoms resulting from a loss of too much body fluid (dehydration): vomiting, nausea, bloating, dizziness, stomach-area (abdomen) cramping, urinating less often than normal, trouble drinking clear liquids, troubles swallowing, seizures, or heart problems.
- CLENPIQ can cause ulcers of the bowel or bowel problems (ischemic colitis). Tell your healthcare provider right away if
 you have severe stomach-area (abdomen) pain or rectal bleeding.
- The most common side effects of CLENPIQ include nausea, headache, and vomiting. These are not all the possible side
 effects of CLENPIQ. Ask your doctor or pharmacist for more information.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

Please see accompanying full Prescribing Information, including Medications Guide, also available at www.CLENPIQ.com.